

	Overall Composite	16% Condition	39% Count	32% Size	3% Access	10% SPS	Campus
Woodlawn Elementary	51.0	75.6	30.0	50.0	40.0	100.0	40.0
New York Elementary	59.7	88.7	20.0	80.0	70.0	100.0	10.0
Pinckney Elementary	64.1	90.0	30.0	80.0	80.0	100.0	30.0
Hillcrest Elementary	66.1	89.8	50.0	60.0	100.0	100.0	40.0
Broken Arrow Elementary	67.1	82.5	40.0	80.0	90.0	100.0	30.0
Prairie Park Elementary	73.5	78.1	50.0	90.0	90.0	100.0	100.0
Cordley Elementary	74.1	87.7	50.0	90.0	60.0	100.0	10.0
Quail Run Elementary	74.5	79.8	60.0	80.0	90.0	100.0	100.0
Deerfield Elementary	79.4	77.3	90.0	60.0	90.0	100.0	100.0
Langston Hughes Elementary	79.4	77.5	90.0	60.0	90.0	100.0	100.0
Sunflower Elementary	80.3	83.0	90.0	60.0	90.0	100.0	100.0
Sunset Hill Elementary	87.9	90.6	90.0	80.0	90.0	100.0	70.0
Schwegler Elementary	90.5	87.1	90.0	90.0	90.0	100.0	70.0

	Overall Composite	16% Condition	39% Count	32% Size	3% Access	10% SPS	Campus
Liberty Memorial Central Middle School	39.3	63.4	20.0	30.0	60.0	100.0	1.0
West Middle School	86.2	75.6	100.0	60.0	90.0	100.0	10.0
Southwest Middle School	86.5	57.7	100.0	80.0	90.0	100.0	10.0
Billy Mills Middle School	96.0	77.1	100.0	100.0	90.0	100.0	9.0

Legend: xxx Scoring less than 60/100  
xxx Scoring between 60 and 70

MS Notes:

1. SWMS scheduled for HVAC upgrades. Will raise condition score from 57.7 to approx. 64.0 when completed.
2. Count for Middle Schools based on ideal 800 student capacity.